

Date: 4/25/2007 Revision: 01

Material Safety Data Sheet

SeaKlear: Thick Tile & Vinyl Cleaner

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name: HaloSource, Inc.

Corporate Address: 1631 220th St. SE, Suite 100, Bothell, WA 98021 **Manufacturer's Telephone:** (425) 881-6464 (Monday-Friday, 8AM-5PM PDT)

Emergency Telephone: 800-424-9300 Chemtrec (24 Hours)
Material/Trade/Product Name: SeaKlear: Thick Tile & Vinyl Cleaner

Synonyms: None

Chemical Name:Phosphoric AcidChemical Formula:Not availableCAS No.:Not applicable.EPA Re. No.:Not applicable

Product Use: Removes film, oils, and scum lines from tile and vinyl on swimming pools.

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

CAS NO.	COMPONENT	%	OSHA HAZARDOUS ?
7664-38-2	Phosphoric Acid	20.0	YES
67-63-0	Isopropanol	<5.0	YES
	Other hazardous components below de minimus quantities	<1	YES
	All other components are non-hazardous.	>74	NO

NOTE: See Section 8 for permissible exposure limits.

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Danger! Corrosive

Causes eye and skin damage. Do not breathe vapor or fumes. May be harmful or fatal if swallowed.

Clear, viscous, light blue/green liquid with mint fragrance.

POTENTIAL HEALTH EFFECTS

EYE: Can cause permanent eye injury. Symptoms may include stinging, tearing, redness, pain, blurred vision and eye burns.

SKIN: Corrosive to tissue. May cause redness, pain and moderate to severe burns.

SeaKlear: Thick Tile & Vinyl Cleaner Page Number: 2 of 6

INHALATION: Inhalation is not an expected hazard unless misted or hated to high temperatures. Mist or vapor inhalation can cause irritation to the nose, throat and upper respiratory tract.

INGESTION: Harmful or fatal if swallowed. Corrosive – may cause sore throat, abdominal pain, nausea and severe burns of the mouth, throat and stomach.

CHRONIC EXPOSURE/CARCINOGENICITY: This substance is not listed as a potential carcinogen by IARC.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Repeated overexposure may lead to contact dermatitis, may cause bronchitis with cough, phlegm, shortness of breath and emphysema, can cause chronic runny nose, tearing of the eyes, nosebleeds, and stomach upsets.

AGGRAVATION OF PRE-EXISTING CONDITIONS: None known.

POTENTIAL ENVIRONMENTAL EFFECTS: None known.

SECTION 4: FIRST AID MEASURES

FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SKIN CONTACT: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

INGESTION: Seek medical attention immediately. Do not induce vomiting. If victim is alert, give ½ to 1 glass of water. Avoid alcohol. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIANS: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: Not available AUTOIGNI
UPPER FLAMMABLE LIMIT: Not available LOWER FI

FLAMMABLITY CLASS (OSHA): Not applicable

AUTOIGNITION TEMPERATURE: Not available **LOWER FLAMMABLE LIMIT:** Not available

FLAME PROPAGATION/BURNING RATE: Not available

UNIQUE FIRE PROPERTIES: None

HAZARDOUS COMBUSTION PRODUCTS: None

EXTINGUISHING MEDIA: Use appropriate methods for combating surrounding fire.

PROTECTION OF FIREFIGHTERS: Wear a self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode. Chemical resistant PPE is recommended.

SeaKlear: Thick Tile & Vinyl Cleaner Page Number: 3 of 6

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: See Section 8 (Personal Protective Equipment).

ENVIRONMENTAL PRECAUTIONS: Prevent runoff from entering drains, sewers or other bodies of water.

METHODS FOR CLEANING UP: Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Absorb spill with inert material (e.g. dry sand, earth). Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers fro disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING RECOMMENDATIONS

VENTILATION: Use adequate ventilation.

FIRE PREVENTION: Not applicable.

SPECIAL HANDLING REQUIREMENTS: Follow all MSDS/label precautions even after container is emptied because they may contain product residue.

SAFE STORAGE RECOMMENDATIONS

CONTAINMENT: Keep container closed when not in use.

STORAGE ROOM RECOMMENDATIONS: Store in a cool, dry place.

INCOMPATIBLE MATERIALS: Strong alkalis, oxidizers, organic matter, certain metals.

STORAGE CONDITIONS: Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE/FACE PROTECTION: Wear safety glasses or goggles and face shield. Remove contact lenses.

SKIN PROTECTION: Wear impervious clothing and boots.

HAND PROTECTION: Wear impervious gloves (made from rubber, nitrile or neoprene).

RESPIRATORY PROTECTION: When respiratory protection is required, use an acid gas cartridge. A respiratory program that meets OSHA's 29 CFR 1910.32 & ANSI Z88.2 requirements must be followed.

GOOD HYGEIENE/WORK PRACTICES: Always follow good hygiene/work practices by avoiding vapors or mists and contact with eyes and skin. Thoroughly wash hands after handling and before eating or drinking. Always wear the appropriate PPE when repairing or performing maintenance on contaminated equipment.

EXPOSURE GUIDELINES

SeaKlear: Thick Tile & Vinyl Cleaner Page Number: 4 of 6

PERMISSIBLE EXPOSURE LIMITS						
INGREDIENT OSH		HA	WISHA		ACGIH (TLV)	
CAS NO.	TWA	STEL	TWA	STEL	TWA	STEL
7664-38-2	1 mg/m ³	None	1 mg/m ³	3 mg/m ³	1 mg/m ³	3 mg/m ³
67-63-0	400 ppm	None	400 ppm	500 ppm	200 ppm	400 ppm

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Light blue/green SHAPE: Liquid

PHYSICAL FORM: Liquid ODOR: Mint fragrance

pH: < 1.0 VAPOR PRESSURE: Not established

VAPOR DENSITY: Not established **BOILING POINT:** > 212 F **MELTING POINT:** Not applicable **FREEZING POINT:** Not known

SOLUBILITY IN WATER: Complete SPECIFIC GRAVITY OR DENSITY: 1.09

NOTE: These physical data are typical values based on material tested but may vary from sample to sample. Values should not be construed as a guaranteed analysis of any specific lot or as specifications.

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: High temperatures.

MATERIALS TO AVOID (INCOMPATIBILITY): Strong alkalis, oxidizers, organic matter, certain metals

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO₂, AND H₂

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

ORAL LD₅₀ (rat): 1530 mg/kg (Phosphoric acid)

DERMAL LD₅₀ (rabbit): Not available.

SKIN IRRITATION: Not available.

EYE IRRITATION: Not available.

SKIN SENSITIZATION: Not available.

ADDITIONAL INFORMATION: Not available.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Not available.

SeaKlear: Thick Tile & Vinyl Cleaner Page Number: 5 of 6

MOBILITY: Not available.

PERSISTENCE AND DEGRADABILITY: Not available.

BIOACCUMULATIVE POTENTIAL: Not available.

ADDITIONAL INFORMATION: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

If this product as supplied becomes a waste, it <u>does</u> meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

NOTE: Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT):

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Identification Number (UN Number): UN3082 Packing Group (PG): III

SECTION 15: REGULATORY INFORMATION

TSCA STATUS: Not listed.

CERCLA REPORTABLE QUANTITY (RQ):

CHEMICAL NAME	RQ
Not applicable	Not applicable

SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (EHS):

CHEMICAL NAME	TPQ	RQ
Not applicable	Not applicable	Not applicable

SARA TITLE III SECTION 311/312 HAZARD CATEGORIES: Does this product/material meet the definition of the following hazard classes according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of SARA Title III?

ACUTE HEALTH HAZARD	CHRONIC HEALTH HAZARD	FIRE HAZARD	REACTIVE HAZARD	SUDDEN RELEASE OF PRESSURE
YES	NO	NO	NO	NO

SeaKlear: Thick Tile & Vinyl Cleaner Page Number: 6 of 6

SARA TITLE III SECTION 313 TOXIC CHEMICALS INFORMATION:

CHEMICAL NAME	CAS NO.	CONCENTRATION (%)
Not applicable	Not applicable	Not applicable

CALIFORNIA PROPOSITION 65: The following chemical(s) is/are known to the state of California to cause cancer or reproductive toxicity:

CHEMICAL NAME	CAS NO.	CONCENTRATION (%)
Not applicable	Not applicable	Not applicable

SECTION 16: OTHER INFORMATION

REVISION INFORMATION:

MSDS sections(s) changed since last revision of document: Section 1. Corporate address was updated.

DISCLAIMER:

The above information is based upon information HaloSource, Inc. believes to be reliable and is supplied for informational purposes only. HaloSource, Inc. disclaims any liability for damage which results from the use of the above information and nothing contained therein shall constitute a guarantee, warranty (including fitness for a particular purpose) or representation with respect to the accuracy or completeness of the data, the product described or their use for any specific purpose even if that purpose is known to HaloSource, Inc. The final determination of the suitability of the information, the manner of use of the information or product and potential infringement is the sole responsibility of the user.

MSDS PREPARED BY: Jeremy Heath, EH&S Specialist