

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**
- **Article number: 8922 (1089841)**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **Further information obtainable from:** Customer Care Department
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.

- **Additional information:**  
There are no other hazards not otherwise classified that have been identified.  
0 % of the mixture consists of component(s) of unknown toxicity.

- 
- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).  
The product is classified and labelled according to the CLP regulation.
  - **Hazard pictograms**



GHS01

- **Signal word** Warning
- **Hazard statements**  
H204 Fire or projection hazard.

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

<b>Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®</b>
--

(Cont'd. from page 1)

- **Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P250 Do not subject to grinding/shock/friction.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P373 DO NOT fight fire when fire reaches explosives.
- P370+P380 In case of fire: Evacuate area.
- P372 Explosion risk in case of fire.
- P401 Store in accordance with local/regional/national/international regulations.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.  
Can become highly flammable in use.

- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 3

- **HMIS-ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 3

· <b>HMIS Long Term Health Hazard Substances</b>
7778-74-7   potassium perchlorate

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 2)

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate ----- Ox. Sol. 1, H271 Acute Tox. 4, H302	25-50%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric) ----- Pyr. Sol. 1, H250; Water-react. 2, H261	25-50%
CAS: 7439-95-4 EINECS: 231-104-6 Index number: 012-001-00-3	magnesium powder (pyrophoric) ----- Pyr. Sol. 1, H250; Water-react. 1, H260	10-25%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	2,5-10%
CAS: 7440-66-6	zinc metal ----- Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 2,5%
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate ----- Ox. Sol. 1, H271 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332	≤ 2,5%
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate ----- Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332	≤ 2,5%
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate ----- Carc. 1A, H350 Acute Tox. 4, H302; Acute Tox. 4, H332	≤ 2,5%

#### Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** Immediately remove any clothing soiled by the product.

#### After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

#### After skin contact:

Generally the product does not irritate the skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 3)

- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Unlikely route of exposure.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Blast injury if mishandled.
- **Hazards** Danger of blast or crush-type injuries.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
DO NOT fight fire when fire reaches explosives.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Eliminate all ignition sources if safe to do so.  
Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.  
Remove persons from danger area.  
Ensure adequate ventilation  
Wear protective clothing.  
Protect from heat.  
Isolate area and prevent access.
- **6.2 Environmental precautions:** No special measures required.

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 4)

- **6.3 Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Handle with care. Avoid jolting, friction and impact.  
Use only in well ventilated areas.  
Do not subject to grinding/shock/friction.
- **Information about fire - and explosion protection:**  
Protect from heat.  
Emergency cooling must be available in case of nearby fire.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from flammable substances.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Keep away from heat.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **8.1 Control parameters**

### Ingredients with limit values that require monitoring at the workplace:

#### 7429-90-5 aluminium powder (pyrophoric)

PEL (USA)	Long-term value: 15*; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction
EL (Canada)	Long-term value: 1,0 mg/m <sup>3</sup> respirable, as Al

(Cont'd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 5)

EV (Canada)	Long-term value: 5 mg/m <sup>3</sup> aluminium-containing (as aluminium)
-------------	---

**7440-50-8 copper**

PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0,2* 1** mg/m <sup>3</sup> as copper, *fume; **dust and mists

**592-87-0 lead dithiocyanate**

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> as CN; Skin
EV (Canada)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb, Skin (organic compounds)

**10294-40-3 barium chromate**

PEL (USA)	Long-term value: 0,005* mg/m <sup>3</sup> Ceiling limit: 0,1** mg/m <sup>3</sup> *as Cr(VI) **as CrO <sub>3</sub> ; see 29 CFR 1910,1026
REL (USA)	Long-term value: 0,0002 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0,01 mg/m <sup>3</sup> as Cr
EL (Canada)	Long-term value: 0,01 mg/m <sup>3</sup> as Cr; ACGIH A1, IARC 1

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.

· **Ingredients with biological limit values:**

**10294-40-3 barium chromate**

BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)
	10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)

- **Additional information:** No further relevant information available.

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 6)

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- **Respiratory protection:**

Not required under normal conditions of use.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

- **Protection of hands:**

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

Organizational measures should be in place for all activities involving this product.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:**

Solid material

**Colour:**

According to product specification

- **Odour:**

Odourless

- **Odour threshold:**

Not determined.

- **pH-value:**

Not applicable.

- **Change in condition**

**Melting point/Melting range:**

Not Determined.

**Boiling point/Boiling range:**

Undetermined.

(Cont'd. on page 8)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 7)

- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Fire or projection hazard.
- **Auto/Self-ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Product is not self-igniting.
- **Danger of explosion:** Heating may cause an explosion.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Oxidising properties:** Contains oxidizing agent.
- **Vapour pressure:** Not determined.
- **Density:** Not determined.
- **Relative density:** Not determined.
- **Vapour density:** Not applicable.
- **Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with water:** Variable, dependent upon product composition and packaging.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not applicable.
  - Kinematic:** Not applicable.
- **9.2 Other information:** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **10.3 Possibility of hazardous reactions:**  
Fire or projection hazard.  
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Leadoxide vapour

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 8)

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

This is a packaged product that will not result in exposure to the contents under normal conditions of use. In the event of exposure, administer first aid appropriate for symptoms present.

#### Acute toxicity

#### LD/LC50 values relevant for classification:

**7758-97-6 lead chromate**

Oral	LD50	12000 mg/kg (mouse)
------	------	---------------------

#### Primary irritant effect:

#### Skin corrosion/irritation

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

#### Serious eye damage/irritation

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a canister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

#### Acute effects (acute toxicity, irritation and corrosivity):

Danger of blast or crush-type injuries.

#### Repeated dose toxicity:

No further relevant information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

No further relevant information available.

#### 12.2 Persistence and degradability

No further relevant information available.

#### 12.3 Bioaccumulative potential

May be accumulated in organism

#### 12.4 Mobility in soil

No further relevant information available.

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 9)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to local official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN0452
- **14.2 UN proper shipping name**
- **DOT** Grenades, Practice
- **ADR** 0452 GRENADES, PRACTICE
- **IMDG, IATA** GRENADES, PRACTICE
- **14.3 Transport hazard class(es)**

- **DOT**



- **Class** 1.4
- **Label** 1.4

- 
- **ADR**
  - **Class** 1.4 (-)
  - **Label** 1.4G

- **IMDG, IATA**



- **Class** 1.4
- **Label** 1.4G

(Cont'd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 10)

- **14.4 Packing group**
- **DOT, ADR, IMDG, IATA** II
- **14.5 Environmental hazards:**
- **Special marking (IATA):** Prohibited from Transport in Passenger Aircraft.



Cargo Aircraft Only.

- **14.6 Special precautions for user** Not applicable.
  - **EMS Number:** F-B,S-X
  - **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
  - **Transport/Additional information:**
- 
- **ADR**
  - **Limited quantities (LQ)** 0
  - **Excepted quantities (EQ)** Code: E0  
Not permitted as Excepted Quantity
  - **Transport category** 2
  - **Tunnel restriction code** E
  - **UN "Model Regulation":** UN0452, Grenades, Practice, 1.4, II

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

7429-90-5 aluminium powder (pyrophoric)

7440-50-8 copper

7440-66-6 zinc metal

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

592-87-0 lead dithiocyanate

10294-40-3 barium chromate

7758-97-6 lead chromate

· **Chemicals known to cause reproductive toxicity for females:**

10294-40-3 barium chromate

7758-97-6 lead chromate

(Cont'd. on page 12)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 11)

· **Chemicals known to cause reproductive toxicity for males:**

10294-40-3	barium chromate
------------	-----------------

7758-97-6	lead chromate
-----------	---------------

· **Chemicals known to cause developmental toxicity:**

10294-40-3	barium chromate
------------	-----------------

7758-97-6	lead chromate
-----------	---------------

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

7778-74-7	potassium perchlorate	NL
-----------	-----------------------	----

7440-50-8	copper	D
-----------	--------	---

7440-66-6	zinc metal	D, I, II
-----------	------------	----------

10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(oral)
------------	-----------------	--------------------------------------

· **IARC (International Agency for Research on Cancer)**

10294-40-3	barium chromate	1
------------	-----------------	---

· **TLV (Threshold Limit Value established by ACGIH)**

7429-90-5	aluminium powder (pyrophoric)	A4
-----------	-------------------------------	----

10294-40-3	barium chromate	A1
------------	-----------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

10294-40-3	barium chromate
------------	-----------------

· **Canada**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

10294-40-3	barium chromate
------------	-----------------

· **Canadian Ingredient Disclosure list (limit 1%)**

7429-90-5	aluminium powder (pyrophoric)
-----------	-------------------------------

7440-50-8	copper
-----------	--------

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Cont'd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

(Cont'd. from page 12)

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### • Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H350 May cause cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

### • Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMS: Hazardous Materials Identification System (USA)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Expl. 1.4: Explosives, Division 1.4
- Pyr. Sol. 1: Pyrophoric Solids, Hazard Category 1
- Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1
- Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2
- Ox. Sol. 1: Oxidising Solids, Hazard Category 1
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Carc. 1A: Carcinogenicity, Hazard Category 1A
- Carc. 1B: Carcinogenicity, Hazard Category 1B
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

### • Sources

SDS Prepared by:  
ChemTel Inc.

(Cont'd. on page 14)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

**Trade name: 11-Gram Low Roll II™ Non-Reloadable Distraction Device®**

1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)

(Cont'd. from page 13)