Page: 1/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

1 Identification

· Product identifier

Trade name: 40MM OC Ferret Powder Barricade

· **Product code:** 2290 (1304409)

· Recommended use and restriction on use

· Recommended use: Crowd Control Device

· Restrictions on use: Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

· Information department: Customer Care Department



ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)



2 Hazard(s) identification

· Classification of the substance or mixture

Explosive classifications are not required for WHMIS.

Expl. 1.4 H204 Fire or projection hazard.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Label elements
- · GHS label elements

Elements relevant to explosives are not used in Canada.

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS01 GHS07

· Signal word: Warning

· Hazard statements:

H204 Fire or projection hazard.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements:

(Cont'd. on page 2)

Page: 2/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 1) P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P250 Do not subject to grinding/shock/friction. P261 Avoid breathing dust. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 If on skin: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/doctor if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P401 Store in accordance with local/regional/national/international regulations.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Instability = 4

HMIS-ratings (scale 0 - 4)

Warning: Contains lead salt(s). Long-term health hazard.



○ Fire = 0

Other hazards

· Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that they are dealing with a powerful force and that various devices and methods have been developed to assist them in directing this force. They should realize that this force, if misdirected, may either kill or injure both themself and their fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor. or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, they should consult the manufacturer before use.

Page: 3/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 2)

· Componei	nts:	
•	Magnesium oxide	>809
9004-70-0	Nitrocellulose, colloided, granular Expl. 1.1, H201	1-5%
55-63-0	glycerol trinitrate / nitroglycerin Unst. Expl., H200 Flam. Liq. 2, H225 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373	1-5%
7439-89-6	Iron	0.1-1
7440-50-8	Copper	0.1-1
8050-09-7	Rosin ♦ Skin Sens. 1, H317	0.1-1

· Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

	To the listed ingredient(s), the identity and/or exact percentage(s) are being withheir as a trade secret.		
· Notable Trace Components (< 0.1% w/w)			
Ī	15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate		
	Unst. Expl., H200		
	& Repr. 1A, H360; STOT RE 2, H373		
	♠ Acute Tox. 4, H302; Acute Tox. 4, H332		
ſ	122-39-4 diphenylamine		
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373		

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation:

Remove victim to fresh air.

Seek medical help for symptoms or if unconscious.

After skin contact:

Brush off loose particles from skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 3)

· Most important symptoms and effects, both acute and delayed:

Blast injury if mishandled.

May cause respiratory irritation.

Coughing

Breathing difficulty

Slight irritant effect on skin and mucous membranes.

Causes eye irritation.

· Danger:

Danger of blast or crush-type injuries.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Fire or projection hazard.

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Cont'd. on page 5)

Page: 5/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 4)

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

· Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

	Control parameters		
	Components with limit values that require monitoring at the workplace: 1309-48-4 Magnesium oxide		
	PEL (USA)	Long-term value: 15* mg/m³ fume; *total particulate	
	TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction	
	EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume:**respirable dust and fume	

(Cont'd. on page 6)

Page: 6/13

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

		(Cont'd. of pa
EV (Canada)	Long-term value: 10 mg/m³ inhalable	
LMPE (Mexico)	Long-term value: 10* mg/m³ A4, *fracción respirable	
55-63-0 glycero	l trinitrate / nitroglycerin	
PEL (USA)	Ceiling limit value: 2 mg/m³, 0.2 ppm Skin	
REL (USA) Short-term value: 0.1 mg/m³ Skin		
TLV (USA) Long-term value: 0.46 mg/m³, 0.05 ppm Skin		
EL (Canada)	Long-term value: 0.05 ppm Skin	
EV (Canada)	Long-term value: 0.5 mg/m³, 0.05 ppm Skin	
LMPE (Mexico)	Long-term value: 0.05 ppm PIEL	
7439-89-6 Iron		
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume	
LMPE (Mexico)	Long-term value: 1 mg/m³	
7440-50-8 Copp	per	
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA) Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu		
EL (Canada) Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu		
EV (Canada)		
LMPE (Mexico) Long-term value: 0.2* 1** mg/m³ *humo (como Cu);**polvo y niebla (como Cu)		
8050-09-7 Rosin		
TLV (USA)	DSEN, RSEN, L	
EL (Canada)	S(D), S(R)	
LMPE (Mexico)	SEN (L)	

· Exposure controls

• General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 7)

Page: 7/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 6)

Wash hands before breaks and at the end of work.

· Engineering controls:

Provide adequate ventilation.

Use only outdoors or in a well-ventilated area.

· Breathing equipment:

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Body protection:

Use personal protective equipment as required.

When needed, wear protective clothing for protection against mechanical hazards.

Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Solid metal container containing liquid and solid contents.

Color: According to product specification

Odorless Odorless

· Odor threshold: Not determined.

(Cont'd. on page 8)

Page: 8/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

		(Cont'd. of page 7)	
· pH-value:	Not applicable.		
Melting point/Melting range:	Not determined.		
· Boiling point/Boiling range:	Not determined.		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not determined.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Heating may cause an explosion.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not applicable.		
· Density:	Not determined.		
· Relative density:	Not determined.		
Vapor density:	Not applicable.		
· Evaporation rate:	Not applicable.		
· Solubility in / Miscibility with			
Water:	Insoluble.		
· Partition coefficient (n-octanol/wat	· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
Other information	No relevant information available.		

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Risk of explosion if heated under confinement.

· Possibility of hazardous reactions

Fire or projection hazard.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidizing agents.

- Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

(Cont'd. on page 9)

Page: 9/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

Sulfur oxides (SOx)

(Cont'd. of page 8)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:		
55-63-0	55-63-0 glycerol trinitrate / nitroglycerin		
Oral	LD50	115 mg/kg (mouse)	
		105 mg/kg (rat)	
Dermal	LD50	29 mg/kg (rat)	
		280 mg/kg (rabbit)	

- Primary irritant effect:
- · On the skin:

Not a skin irritant in unused form. Vapors/particles from used product are irritating to skin. Irritant to skin and mucous membranes.

· On the eye:

Not an eye irritant in unused form. Vapors/particles from delpoyed product are a serious eye irritant. Irritating effect.

• **Sensitization:** No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

R

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Danger of blast or crush-type injuries.

Irritating to eyes, respiratory system and skin.

- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

(Cont'd. on page 10)

Page: 10/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 9)

- Aquatic toxicity Toxic for aquatic organisms
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- Mobility in soil: No relevant information available.
- **Ecotoxical effects:**
- · Remark: Toxic for fish
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN0301	
· UN proper shipping name		
DOT, IATA	Ammunition Tear-producing with burster, expelling charge or propelling charge	
· ADR	0301 AMMUNITION TEAR-PRODUCING with burster, expelling	
	charge or propelling charge	
	(Cont'd. on page 11)	

Page: 11/13

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

	(Cont'd. of page 10)
· IMDG	AMMUNITION TEAR-PRODUCING with burster, expelling charge or propelling charge
· Transport hazard class(es)	
· DOT	
14	
· Class · Label	1.4 1.4G, 6.1, 8
· ADR	
14 (2) (<u>5</u>)	
· Class · Label	1.4 1.4G+6.1+8
·IMDG	
14 ()	
Class	1.4
Label	1.4G/6.1/8
· IATA	
· Class · Label	1.4 1.4G (6.1, 8)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards	Not applicable.
· Special precautions for user · EMS Number:	Not applicable. <u>F-A</u> ,S-Q
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 12)

Page: 12/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 11)

- United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

(Cont'd. on page 13)

Page: 13/13

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 22, 2018 Revision: August 22, 2018

Trade name: 40MM OC Ferret Powder Barricade

(Cont'd. of page 12)

Expl. 1.1: Explosives - Division 1.1 Expl. 1.4: Explosives - Division 1.4

Lyb. 1.4. Explosives – Division 1.4
Unst. Expl.: Explosives – Unstable explosive
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 1: Acute toxicity – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

· Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com