

Safety Data Sheet 5090

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 12/02/2021 Date of issue: 05/25/2017

SECTION 1: Identification

Identification

Product form Mixtures

TAR ATTACK CITRUS Product name

CAS No

Product code 5090

Recommended use and restrictions on use

No additional information available

Supplier 1.3.

Brody Chemical

6125 W. Double Eagle Cr. Salt Lake City, UT 84118 - USA

T (801) 963-2436

Emergency telephone number

Emergency number : 1-800-424-9300

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Flammable liquids H227

Category 4

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Skin sensitization, Category H317 May cause an allergic skin reaction

Full text of H statements: see section 16

GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

H227 - Combustible liquid Hazard statements (GHS-US)

H315 - Causes skin irritation

Combustible liquid

H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash face, hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of soap and water

P321 - Specific treatment (see ... on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use media other than water to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to in accordance with all regulations.

Other hazards which do not result in classification

No additional information available

12/02/2021 EN (English US) SDS ID: 5090 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
(+)-limonene	(CAS No) 5989-27-5	35-40	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene glycol monobutyl ether	(CAS No) 111-76-2	10-15	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Unlikely to cause harmful effects.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours/mist.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

12/02/2021 EN (English US) SDS ID: 5090 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing vapours/mist.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent.

Storage area : Store at room temperature. Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol monobutyl ether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	0.1 ppm (2-Methoxyethanol (EGME); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Hematologic eff; repro eff
OSHA	OSHA PEL (TWA) (mg/m³)	80 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	25 ppm

(+)-limonene (5989-27-5)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquid.ColorAmberOdorCitrus fruits

12/02/2021 EN (English US) SDS ID: 5090 3/7

Safety Data Sheet

Flash point

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No data available Odor threshold No data available рΗ Melting point Not applicable No data available Freezing point **Boiling point** > 212 F 200 °F

Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not applicable. No Vapor pressure data available No data available No Relative vapor density at 20 °C data available Relative density Specific gravity / density 1.05 kg/l

Solubility No data available Log Pow No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. **Chemical stability**

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. **Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

Incompatible materials

Oxidizing agent.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethylene glycol monobutyl ether (111-76-2)		
LD50 oral rat	2370 mg/kg (Rat)	
LD50 dermal rabbit	1280 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	> 6.2 mg/l/4h (Rat)	
ATE US (oral)	500.000 mg/kg body weight	
ATE US (dermal)	1280.000 mg/kg body weight	
ATE US (gases)	4500.000 ppmV/4h	
ATE US (vapors)	11.000 mg/l/4h	
ATE US (dust, mist)	1.500 mg/l/4h	

12/02/2021 EN (English US) SDS ID: 5090 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
(+)-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
ATE US (oral)	4400.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
(+)-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Unlikely to cause harmful effects.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Irritation.

: Not classified

Symptoms/effects after eye contact : Causes eye irritation.
Symptoms/effects after ingestion : Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

STOT-single exposure

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Ethylene glycol monobutyl ether (111-76-2)
LC50 fish 1 14977 mg/l (LC50; 96 h; Salmo gairdneri)

EC50 Daphnia 1	> 10000 mg/l (EC50; 24 h)	
Threshold limit algae 2	> 10000 mg/l (EC0; 192 h)	
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flowthrough system; Fresh water; Experimental value)	
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system: Fresh water: Read-across)	

12.2. Persistence and degradability

Ethylene glycol monobutyl ether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Photodegradation in the air.
Chemical oxygen demand (COD)	1.62 g O₂/g substance
ThOD	1.68 g O₂/g substance
BOD (% of ThOD)	0.07
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O₂/g substance

12.3. Bioaccumulative potential

Ethylene glycol monobutyl ether (111-76-2)	
Log Pow	-0.88
Bioaccumulative potential	Bioaccumulation: not applicable.

12/02/2021 EN (English US) SDS ID: 5090 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

12.4. Mobility in soil

Ethylene glycol monobutyl ether (111-76-2)	
Surface tension	0.033 N/m (20 °C)
(+)-limonene (5989-27-5)	
Log Koc	Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

TDG

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Ethylene glycol monobutyl ether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

(+)-limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

12/02/2021 EN (English US) SDS ID: 5090 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene glycol monobutyl ether (111-76-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	Yes	63

Ethylene glycol monobutyl ether (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 03/20/2017

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause


significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

12/02/2021 EN (English US) SDS ID: 5090 7/7