CYANURIC ACID REAGENT

Product: R-0013

| Section 1: PRODUCT INFORMATION | | |
|--------------------------------|---|--|
| Chemical family: | Organic salt solution. | |
| Product uses: | Industrial material. | |
| Supplier: | Lowry & Associates Agents for Taylor Technologies Inc. 4 – 1151 Gorham Street Newmarket, Ontario L3Y 7V1 Tel: 905–836–0505 Fax: 905–895–4539. | |
| Emergency Phone Number: | Canutec 613–996–6666. 410–472–4340 | |
| Manufacturer: | Taylor Technologies Inc. 31 Loveton Circle Sparks, MD USA 21152 Tel: 410–472–4340. | |
| TDG classification: | Not regulated. | |
| WHMIS classification: | Not controlled. | |
| DSL status: | Not available. | |

| Section 2: HAZARDOUS INGREDIENTS | | | | | |
|----------------------------------|-----------------|--------------------------|---------------|---------------|---------------|
| C.A.S. | CONCENTRATION % | Ingrédient | V.L.E. | DL/50 | CL/50 |
| | | NO HAZARDOUS INGREDIENTS | NOT AVAILABLE | NOT AVAILABLE | NOT AVAILABLE |

Section 2A: ADDITIONAL INGREDIENT INFORMATION

Note: Balance: water (CAS# 7732–18–5).

Section 3: PHYSICAL DATA

Physical state: Liquid.

Appearance & odor: Odourless. Clear

Colourless.

Odor threshold (ppm): Not available.

Vapour pressure (mmHg): 17

Vapour density (air=1): .6

<u>Volatiles (%)</u>

By volume: 99

Evaporation rate (butyl acetate = 1): Not available.

Boiling point (°**C**): 212F (100C)

Freezing point (°**C**): Not available.

pH: 5.8

Specific gravity @ 20 °C: 1

Solubility in water (%): Soluble.

Coefficient of water\oil dist.: Not available.

| Section 4: FIRE & EXPLOSION DATA | |
|--------------------------------------|---|
| Flammability: | Not flammable. |
| Conditions of flammability: | Surrounding fire. |
| Extinguishing media: | Carbon dioxide, dry chemical, foam. Water spray. |
| Special procedures: | Wear a positive pressure, self contained breathing apparatus and full protective equipment. |
| Auto-ignition temperature: | Not applicable. |
| Flash point (°C), method: | Not applicable. |
| Lower flammability limit (% vol): | Not applicable. |
| Upper flammability limit (% vol): | Not applicable. |
| Explosion Data | |
| Sensitivity to static discharge: | Not applicable. |
| Sensitivity to mechanical impact: | Not applicable. |
| Hazardous combustion products: | Nitrogen oxides (NOx). Cyanides. |
| Explosive power: | Not applicable. |

Section 5: REACTIVITY DATA

| Chemical stability: | Stable under normal conditions. |
|--------------------------------------|---|
| Conditions of instability: | Contact with incompatible substances. Extreme temperatures. Extreme heat. |
| Hazardous polymerization: | Not available. |
| Incompatible substances: | Strong oxidizers. Fluorine. |
| Hazardous decomposition products: | See hazardous combustion products. |

Section 6: TOXICOLOGICAL PROPERTIES

| Route of entry: | Ingestion and skin contact. |
|-----------------------------------|--|
| Effects of acute exposure | |
| Eye contact: | May cause irritation. |
| Skin contact: | May cause irritation. |
| Inhalation: | No hazard known. |
| Ingestion: | May cause gastro-intestinal irritation. |
| Effects of chronic exposure: | Pre-existing eye and skin disorders may be aggravated by exposure to this product. |
| LD50 of product, species & route: | Not available. |
| LC50 of product, species & route: | Not available. |
| Exposure limit of material: | Not available. |
| Sensitization to product: | Not available. |
| Carcinogenic effects: | Not listed as a carcinogen. |
| Reproductive effects: | Not available. |
| Teratogenicity: | Not available. |
| Mutagenicity: | Not available. |
| Synergistic materials: | Not available. |

Section 7: PREVENTATIVE MEASURES

Precautionary Measures

Gloves/Type:



General work gloves to minimize skin contact.

Respiratory/Type:



NIOSH approved respirator, if necessary.



 $(\uparrow$

Safety glasses.

Footwear/Type: Safety shoes per local regulations.

Clothing/Type:



Lab coat.

Other/Type: Eye wash facility should be in close proximity. Emergency shower should be in close proximity.

| Ventilation requirements: | Ventilate adequately. |
|---------------------------------------|---|
| Leak/Spill: | Absorb with inert material. Wear appropriate protective equipment. Place in a closed container for disposal. |
| Waste disposal: | Dispose of all waste in accordance with Local, State, and Federal regulations. |
| Handling procedures and equipment: | Use adequate ventilation. Wear personal protective equipment appropriate to task. Wash thoroughly after handling. Avoid contact with skin, eyes and clothing. Launder contaminated clothing prior to reuse. |
| Storage requirements: | Keep out of direct sunlight. Store in a cool and dry place. |
| Special shipping information: | See transportation information. |

Section 8: FIRST AID MEASURES

| Skin contact: | Remove contaminated clothing. Wash with water for at least 15 minutes. Seek medical attention if irritation persists. |
|-------------------------|---|
| Eye contact: | Immediately flush eyes with running fresh water for a minimum of 20 minutes. Hold eyelids open during flushing. Obtain medical attention immediately. |
| Inhalation: | Remove victim to fresh air. If irritation occurs, consult a physician. |
| Ingestion: | Obtain medical attention. Never give anything by mouth to an unconscious person. Drink a large amount of water. Do not induce vomiting, unless directed to do so by a physician. |
| Additional information: | The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any inaccuracies. |

Section 9: ADDITIONAL INFORMATION

| General note: | This material safety data sheet was prepared from information obtained from various sources, including product suppliers and the Canadian Center for Occupational Health and Safety. |
|---------------------|--|
| Data prepared by: | Lowry & Associates |
| | Agents for Taylor Technologies Inc. |
| | 4 – 1151 Gorham Street |
| | Newmarket, Ontario |
| | L3Y 7V1 |
| | Tel: 905-836-0505 |
| | Fax: 905–895–4539. |
| Supplier MSDS date: | 2006/10/19. |

This MSDS was generated by Conform-Plus Application Service. Visit us at www.netmsds.com.